

18-3-6



300944

NURSERY POLYON

Average Media Temperatures	60°F	70°F	80°F	90°F
Longevity in Months	6	5	4	3

Application Rates

Incorporation

Uniformly mix (incorporate) Custom Nursery Fertilizer into potting media at following rates using trials and grower experience to obtain optimum performance. The addition of dolomitic lime-stone, additional micronutrients or other media amendments may be needed.

POUNDS PER CUBIC YARD			
Low	Medium	High	South FL
4.5	5.4	6.6	0

Topdressing - Rates Per Container

Uniformly apply product away from the base of plant.

(gallons)	Low	Medium	High	South FL
Trade G (g)	4	5	7	0
1 (g)	7	8	10	0
2 (g)	16	20	24	0
3 (g)	29	35	43	0
5 (g)	39	47	58	0
7 (g)	58	70	86	0
10 (g)	72	88	107	0
15 (g)	81	99	121	0
20 (g)	107	131	159	0
25 sqt. (g)	159	193	236	0
25 (g)	159	193	236	0
#35 (g)	177	215	263	0

NET WT.
50 LBS.
(22.7 KG)

MANUFACTURED FOR HARRELL'S LLC. (F352) 720 Kraft Road, Lakeland, FL 33801 - (863) 687-2774 - (800) 282-8007
Distributed by: Harrell's, LLC. P.O. Box 187, Sylacauga, AL 35151 - (256) 245-5559 - (800) 282-8007

The GREEN color of the Polyon® capsule and RLC (Reactive Layers Coating) are trademarks of RLC Technologies, L.L.C. POLYON® and POLYON NPK® are registered trademarks of RLC Technologies.

0911-0843 091002

GUARANTEED ANALYSIS

* Total Nitrogen (N)	18.0000%
1.1400% Ammoniacal Nitrogen	
16.8600% Urea Nitrogen	
Available Phosphate (P205)	3.0000%
Soluble Potash (K20)	6.0000%
Calcium (Ca)	2.7500%
Magnesium (Mg)	3.3640%
3.114% Water Soluble Magnesium (Mg)	
Copper (Cu)	0.0500%
0.050% Water Soluble Copper (Cu)	
Iron (Fe)	1.9800%
0.600% Water Soluble Iron (Fe)	
0.010% Iron (Chelated)	
Manganese (Mn)	0.0500%
0.050% Water Soluble Manganese (Mn)	
Molybdenum (Mo)	0.0010%
Zinc (Zn)	0.0500%
0.050% Water Soluble Zinc (Zn)	

Derived From: Ammoniated Phosphate, Polymer Coated Sulphur Coated Urea, Polymer Coated Urea, Sulfate of Potash-Magnesia, Copper Sulphate, Gypsum Granular, Iron Chelate, Iron Oxide, Iron Sulfate, Magnesium Oxide, Magnesium Sulfate, Manganese Sulfate, Sodium Molybdate, Zinc Sulphate

* 15.232% slow release NITROGEN derived from Polymer Coated Sulphur Coated Urea, Polymer Coated Urea

Warning: --- This fertilizer is to be used only on soils which respond to Molybdenum. Crops high in Molybdenum are toxic to ruminants.

Density - 62 lb./cu. ft.)

Directions for Use

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to, a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

CONVERSION TABLE

Rounded Measure	Gram:
1 teaspoon (tsp)	7.1
1 tablespoon (tbs.)	22.0
1/4 cup	61.4
1/2 cup	141.5

†The gram weights are approximate. Actual weight in your measuring should be determined for the fertilizer being applied.

Harrell's SPOON SIZE/RATE

Spoon Size	Grams
1	10
2	15
3	20
4	26
5	38
6	54
7	70
8	88